




# Chapter 6

## Population and Community Ecology



# Nature exists at several levels of complexity



**Figure 6.1**

*Environmental Science*

© 2012 W. H. Freeman and Company


# Factors that Regulate Population Abundance and Distribution

- Population size- the total number of individuals within a defined area at a given time.
- Population density- the number of individuals per unit area at a given time.
- Population distribution- how individuals are distributed with respect to one another.
- Population sex ratio- the ratio of males to females
- Population age structure- how many individuals fit into particular age categories.







**(a) Random distribution**



**(b) Uniform distribution**



**(c) Clumped distribution**



**Figure 6.3**

*Environmental Science*

© 2012 W. H. Freeman and Company

# Factors that Influence Population Size

- Density-dependent factors- the size of the population will influence an individual's probability of survival.
- Density-independent factors- the size of the population has no effect on the individual's probability of survival.

# Exponential Growth Model

- Growth rate- the number of offspring an individual can produce in a given time period, minus the deaths of the individual or offspring during the same period.
- Intrinsic growth rate- under ideal conditions, with unlimited resources, the maximum potential for growth.

# Exponential Growth Model

- J-shaped curve- when graphed the exponential growth model looks like this.




Figure 6.5  
*Environmental Science*  
© 2012 W. H. Freeman and Company



# Logistic Growth Model

- Logistic growth- when a population whose growth is initially exponential, but slows as the population approaches the carrying capacity.
- S-shaped curve- when graphed the logistic growth model produces an “S”.




Figure 6.7  
Environmental Science  
© 2012 W. H. Freeman and Company



# Variations of the Logistic Model

- If food becomes scarce, the population will experience an overshoot by becoming larger than the spring carrying capacity and will result in a die-off, or population crash.




Figure 6.9  
Environmental Science  
© 2012 W. H. Freeman and Company

# Reproductive Strategies

- K-selected species- the population of a species that grows slowly until it reaches the carrying capacity. Ex. elephants, whales, and humans.
- R-selected species- the population of a species that grows quickly and is often followed by overshoots and die-offs. Ex. mosquitoes and dandelions




**TABLE 6.1**    **Traits of *K*-selected and *r*-selected species**

<b>Trait</b>	<b><i>K</i>-selected species</b>	<b><i>r</i>-selected species</b>
<b>Life span</b>	<b>Long</b>	<b>Short</b>
<b>Time to reproductive maturity</b>	<b>Long</b>	<b>Short</b>
<b>Number of reproductive events</b>	<b>Few</b>	<b>Many</b>
<b>Number of offspring</b>	<b>Few</b>	<b>Many</b>
<b>Size of offspring</b>	<b>Large</b>	<b>Small</b>
<b>Parental care</b>	<b>Present</b>	<b>Absent</b>
<b>Population growth rate</b>	<b>Slow</b>	<b>Fast</b>
<b>Population regulation independent</b>	<b>Density dependent</b>	<b>Density</b>
<b>Population dynamics</b>	<b>Stable, near carrying capacity</b>	<b>Highly variable</b>

**Table 6.1***Environmental Science*

© 2012 W. H. Freeman and Company

# Survivorship Curves




**Figure 6.12**  
*Environmental Science*  
© 2012 W. H. Freeman and Company



# Metapopulations


- Metapopulations- a group of spatially distinct populations that are connected by occasional movements of individuals between them.



**Figure 6.13**  
*Environmental Science*  
© 2012 W. H. Freeman and Company

# Competition

- Competition- the struggle of individuals to obtain a limiting resource .




**Figure 6.14**

*Environmental Science*

© 2012 W. H. Freeman and Company



# Resource Partitioning



# Predation

- Predation- the use of one species as a resource by another species.
- True predators- kill their prey.
- Herbivores- consume plants as prey.
- Parasites- live on or in the organism they consume.
- Parasitoids- lay eggs inside other organisms.



# Mutualism

- Mutualism- A type of interspecific interaction where both species benefit.



**Figure 6.18**  
*Environmental Science*  
© 2012 W. H. Freeman and Company



**Figure 6.18 (inset)**  
*Environmental Science*  
© 2012 W. H. Freeman and Company

# Commensalism

- Commensalism- a type of relationship in which one species benefits but the other is neither harmed nor helped.

<b>TABLE 6.2      Interactions between species and their effects</b>		
<b>Type of interaction</b>	<b>Species 1</b>	<b>Species 2</b>
<b>Competition</b>	–	–
<b>Predation</b>	+	–
<b>Mutualism</b>	+	+
<b>Commensalism</b>	+	0

**Table 6.2**

*Environmental Science*

© 2012 W. H. Freeman and Company



# Keystone Species

- Keystone species- a species that plays a role in its community that is far more important than its relative abundance might suggest.



**Figure 6.22 (inset)**  
*Environmental Science*  
© 2012 W. H. Freeman and Company




**Figure 6.22**  
*Environmental Science*  
© 2012 W. H. Freeman and Company



# Primary Succession

- Primary succession- occurs on surfaces that are initially devoid of soil.




**Figure 6.23**  
*Environmental Science*  
© 2012 W. H. Freeman and Company




# Secondary Succession

- Secondary succession- occurs in areas that have been disturbed but have not lost their soil.





# Aquatic Succession



**Figure 6.25**

*Environmental Science*

© 2012 W. H. Freeman and Company

# Factors that determine species richness:

- Latitude
- Time
- Habitat size

# Theory of Island Biogeography

- Theory of island biogeography- the theory that explains that both habitat size and distance determine species richness.




Figure 6.26  
Environmental Science  
© 2012 W. H. Freeman and Company