



# Chapter 19


## Global Change

# Global Change

- ▣ Global change- any chemical, biological or physical property change of the planet. Examples include cold temperatures causing ice ages.
- ▣ Global climate change- changes in the climate of the Earth.
- ▣ Global warming- one aspect of climate change, the warming of the oceans, land masses and atmosphere of the Earth.

# The Greenhouse Effect

- ▣ When radiation from the sun hits the atmosphere, 1/3 is reflected back.
- ▣ Some of the UV radiation is absorbed by the ozone layer and strikes the Earth where it is converted into low-energy infrared radiation.
- ▣ The infrared radiation then goes back toward the atmosphere where it is absorbed by greenhouse gasses that radiate most of it back to the Earth.



**Figure 19.2**

*Environmental Science*

© 2012 W. H. Freeman and Company



# Greenhouse Gases

- ▣ Water vapor
- ▣ Carbon dioxide
- ▣ Methane
- ▣ Nitrous oxide
- ▣ Ozone

**TABLE 19.1    The major greenhouse gases**

The major greenhouse gases differ in their ability to absorb infrared radiation and the duration of time that they stay in the atmosphere. The units “ppm” are parts per million.

Greenhouse gas	Concentration in 2010	Global warming potential (over 100 years)	Duration in the atmosphere
Water vapor	Variable with temperature	<1	9 days
Carbon dioxide	390 ppm	1	Highly variable (ranging from years to hundreds of years)
Methane	1.8 ppm	25	12 years
Nitrous oxide	0.3 ppm	300	114 years
Chlorofluorocarbons	0.9 ppm	1,600 to 13,000	55 to >500 years

**Source:** Data on concentration are from the National Oceanic and Atmospheric Administration. [www.esrl.noaa.gov/gmd/aggi](http://www.esrl.noaa.gov/gmd/aggi). Data on global warming potential are from the United Nations Framework Convention on Climate Change.

**Table 19.1**

*Environmental Science*

© 2012 W. H. Freeman and Company


# Natural Greenhouse Gases

- ▣ Volcanic eruptions- mainly carbon dioxide
- ▣ Methane – from decomposition
- ▣ Nitrous oxide- from denitrification
- ▣ Water vapor

# Anthropogenic Causes of Greenhouse Gases

- ▣ Burning of fossil fuels
- ▣ Agricultural practices
- ▣ Deforestation
- ▣ Landfills
- ▣ Industrial production- CFC's are an example






**Figure 19.5**

*Environmental Science*

© 2012 W. H. Freeman and Company




**Figure 19.6**

*Environmental Science*

© 2012 W. H. Freeman and Company


# Increasing CO<sub>2</sub> Concentrations

- David Keeling began measuring CO<sub>2</sub> in 1958.



**Figure 19.7**  
*Environmental Science*  
© 2012 W. H. Freeman and Company

# Emissions from the Developed and Developing World



**Figure 19.8**


*Environmental Science*

© 2012 W. H. Freeman and Company




# Global Temperatures since 1880


- Since 1880 temperatures have increased  $0.8^{\circ}\text{C}$ .







The 2009 surface temperature data plotted on this map represent differences relative to the average temperature from 1951 to 1980.



**Figure 19.10**

*Environmental Science*

© 2012 W. H. Freeman and Company

# Temperatures and Greenhouse Gas Concentrations in Past 400,000 Years


- ❑ No one was around thousands of years ago to measure temperatures so we use other indirect measurements. Some of these are
  - Changes in species compositions
  - Chemical analyses of ice



Figure 19.12a  
Environmental Science  
© 2012 W. H. Freeman and Company



Figure 19.12b  
Environmental Science  
© 2012 W. H. Freeman and Company



**Figure 19.13**


*Environmental Science*

© 2012 W. H. Freeman and Company

# Putting It Together

- ▣ We know that an increase in CO<sub>2</sub> in the atmosphere causes a greater capacity for warming through the greenhouse effect.
- ▣ When the Earth experiences higher temperatures, the oceans warm and cannot contain as much CO<sub>2</sub> gas and, as a result, they release CO<sub>2</sub> into the atmosphere.






**Figure 19.15**

*Environmental Science*


© 2012 W. H. Freeman and Company





2020–2029





2090–2099



(a) Low increase in CO<sub>2</sub>



(b) Moderate increase in CO<sub>2</sub>



(c) High increase in CO<sub>2</sub>

Surface temperature change (°C)




**Figure 19.17**

*Environmental Science*


© 2012 W. H. Freeman and Company

# Feedbacks



## Positive feedback system

Figure 19.18a  
Environmental Science  
© 2012 W. H. Freeman and Company




## Negative feedback system

Figure 19.18b  
Environmental Science  
© 2012 W. H. Freeman and Company

# Consequences to the Environment Because of Global Warming

- ▣ Melting of polar ice caps, Greenland and Antarctica
- ▣ Melting of many glaciers around the world
- ▣ Melting of permafrost
- ▣ Rising of sea levels due to the melting of glaciers and ice sheets and as water warms it expands
- ▣ Heat waves
- ▣ Cold spells
- ▣ Change in precipitation patterns
- ▣ Increase in storm intensity
- ▣ Shift in ocean currents



**Figure 19.20**

*Environmental Science*

© 2012 W. H. Freeman and Company

# Consequences to Living Organisms

- ▣ Wild plants and animals can be affected. The growing season for plants has changed and animals have the potential to be harmed if they can't move to better climates.
- ▣ Humans may have to relocate, some diseases like those carried by mosquitoes could increase and there could be economic consequences.



# The Controversy of Climate Change

- ▣ The fundamental basis of climate change- that greenhouse gas concentrations are increasing and that this will lead to global warming is not in dispute among the vast majority of scientists.
- ▣ What is unclear is how much world temperatures will increase for a given change in greenhouse gases, because that depends on the different feedback loops.

**TABLE 19.2****The 2007 assessment of global change by the Intergovernmental Panel on Climate Change (IPCC)**

The scientists considered the likelihood that specific changes have occurred, the likelihood that humans contributed to the change, and the likelihood that current trends will continue.

Definitions: More likely than not = more than 50% certain; Likely = more than 60% certain; Very likely = more than 90% certain; Virtually certain = more than 99% certain.

Phenomenon and direction of trend	Likelihood that trend occurred in late 20th century (typically post-1960)	Likelihood of a human contribution to observed trend	Likelihood of future trends based on projections for 21st century from <i>Special Report on Emissions Scenarios</i>
Warmer and fewer cold days and nights over most land areas	Very likely	Likely	Virtually certain
Warmer and more frequent hot days and nights over most land areas	Very likely	Likely (nights)	Virtually certain
Warm spells/heat waves. Frequency increases over most land areas	Likely	More likely than not	Very likely
Heavy precipitation events. Frequency (or proportion of total rainfall from heavy falls) increases over most areas	Likely	More likely than not	Very likely
Area affected by droughts increases	Likely in many regions since 1970s	More likely than not	Likely
Intense tropical cyclone activity increases	Likely in some regions since 1970	More likely than not	Likely
Increased incidence of extreme high sea level (excludes tsunamis)	Likely	More likely than not	Likely

**Table 19.2**

*Environmental Science*

© 2012 W. H. Freeman and Company


# The Kyoto Protocol

- In 1997, representatives of the nations of the world went to Kyoto, Japan to discuss how best to control the emissions contributing to global warming.
- The agreement was that emissions of greenhouse gases from all industrialized countries will be reduced to 5.2% below their 1990 levels by 2012.
- Developing nations did not have emission limits imposed by the protocol.

# Carbon Sequestration

- ▣ An approach involving taking CO<sub>2</sub> out of the atmosphere.
- ▣ Some methods include storing carbon in agricultural soils or retiring agricultural land and allowing it to become pasture or forest.
- ▣ Researchers are looking at cost-effective ways of capturing CO<sub>2</sub> from the air, from coal-burning power stations, and from other emission sources.
- ▣ This captured CO<sub>2</sub> would be compressed and pumped into abandoned oil wells or the deep ocean.





**Figure 19.23**

*Environmental Science*

© 2012 W. H. Freeman and Company